

## Vivazon VH conc.

de-aeration and defoaming agent

<b>Chemical composition</b>	blend of detergents, emulsifiers and antifoam agents
<b>Appearance</b>	yellow-transparent, low viscous liquid
<b>pH - value (1:10)</b>	6.0 - 7.0
<b>Stability</b>	stable to acids and alkalis
<b>Dilution</b>	soluble in water Dilution with the 10-fold quantity of water is recommended.

### Field of application.

Dyeing of different fibers on jets, overflows and yarn dyeing machines. Staple-dyeing on package dyeing machines. Dyeing of wool felt and wool blend felts on winch beck. Used in the carpet printing.

### Properties

- permanent antifoaming power
- excellent de-aerating capacity
- good wetting and dispersing effect
- applicable at a broad pH - value range (4 - 14)


### Application

Vivazon VH conc. should be diluted carefully with the 10-fold quantity of water and stirred to a turbid solution.

Dyeing on jets, overflows, yarn dyeing machines	0.3 - 1.0 g/l
Staple-dyeing on package dyeing machines	0.1 - 0.5 g/l
Dyeing of felt (wool and wool blends) on winch beck	1.0 - 2.0 g/l
Carpet printing (de-aeration of printing paste)	2.0 - 3.0 g/kg

**Remark**

Vivazon VH conc. is a technical product and variations in colour and viscosity can happen. The properties for application are not touched by this.

**Storage temperature**

Storage at temperatures between 5 °C and 40 °C. Protect from cold.  
The product may crystallize upon storage at low temperatures.

**Shelf life**

Up to 12 months in the original sealed packing.

**Usage**

Stir before use. Stirring and heating up to room temperature dissolves the formed crystals.

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to check its validity and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale and Delivery.