

## Ebrolin PFE

protein filler

<b>Chemical composition</b>	composition of carbohydrates, proteins and inorganic salts
<b>Active matter</b>	approx. 95 %
<b>Appearance</b>	light-yellow powder
<b>pH - value (1:10)</b>	6.0 - 8.0
<b>Ecology</b>	product is completely sustainable
<b>Stability</b>	stable to acids and salts under usual tannery conditions
<b>Dilution</b>	added undiluted

### Field of application

Filler auxiliary for better firmness, tightness and fullness. Improves the milling properties.

### Properties

- incorporation in the loose parts of the hide between grain and reticular layer
- improves firmness, tightness and fullness
- provides additional reactive groups
- full and round touch
- improves selection
- gives better cutting values


### Application

Ebrolin PFE can be used in the pickling, tanning, rechroming and before fatliquoring.

Pickling	Ebrolin PFE	1.0 % - 2.0 %
Tanning	Ebrolin PFE	1.0 % - 2.0 %
Rechroming	Ebrolin PFE	1.0 % - 2.0 %
Wet-end	Ebrolin PFE	2.0 % - 4.0 %

**Remark**

Ebrolin PFE is a technical product and variations in colour can happen. The properties for application are not touched by this.

**Storage temperature**

Storage at temperatures between 5 °C and 40 °C.

**Shelf life**

Up to 12 months in the original sealed packing.

**Storage**

Storage under dry conditions and protected from sun.

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to check its validity and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale and Delivery.