



Ebotan M

retanning syntan

Chemical composition	combination of amino resins
Charge	anionic
Active matter	approx. 95 %
Appearance	brown powder
pH-value (1:10)	7.0 - 8.0
Dilution	can be applied directly to the process vessel

Field of application

Ebotan M is a retanning agent based on amino compounds with a very low content of free formaldehyde. It promotes the filling of open structures such as belly or flank areas. It can be used for all kind of leathers but it is especially suitable for the production of buffed leathers.

Properties

- good and selective filling of belly and flank areas MISTRY
- tight grain
- uniform softness
- excellent milling properties

Application

Percentage based on shaved weight

Upper leather	Ebotan M	5.0 % - 7.0 %
Softy nappa	Ebotan M	3.0 % - 5.0 %
Garment	Ebotan M	3.0 % - 4.0 %





Remark

Ebotan M is a technical product and variations in colour can happen. The properties for application are not touched by this.



Storage temperature

Storage at temperatures between 5 °C and 40 °C.



Shelf life

Up to 12 months in the original sealed packing.



Storage Under dry conditions and protected from sun.

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to check its validity and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility. Our products are sold in accordance with our General Conditions of Sale and Delivery.